CONTENTS OF VOLUME 29

NUMBER 1

C. M. Fattaccini, F. Bolaños-Jimenez, H. Gozlan and M. Hamon	Tianeptine stimulates uptake of 5-hydroxytryptamine *in vivo* in the rat brain	1
D. C. Martin, R. J. Adams and R. P. S. Introna	Halothane inhibits 5-hydroxytryptamine uptake by synaptosomes from rat brain	9
R. J. Rodgers, J. K. Shepherd and J. I. Randall	Highly potent inhibitory effects of 5-HT_3 receptor antagonist, GR38032F, on non-opioid defeat analgesia in male mice	17
S. Izenwasser and C. Kornetsky	Effects of clonidine and yohimbine, alone and in combination with morphine, on supraspinal analgesia	25
J. Costentin, D. Duterte-Boucher, C. Panissaud and A. Michael-Titus	Dopamine D_1 and D_2 receptors mediate opposite effects of apomorphine on the body temperature of reserpinized mice	31
G. Eisenhofer, G. Szabo and Paula L. Hoffman	Opposite changes in turnover of noradrenaline and dopamine in the CNS of ethanol-dependent mice	37
M. Muramatsu, S. Chaki, I. Arai and H. Aihara	Alteration of metabolism of acetylcholine induced by 2-deoxy-D-glucose in the gastroduodenum of the rat	47
S. Yamada, S. Nishi, H. Kojima, H. Yokoo, T. Tsutsumi and K. Inanaga	Involvement of the cholinergic system in haloperidol-induced release of dopamine from slices of striatum in the rat	55
C. G. J. Sweep, C. J. C. Boersma and V. M. Wiegant	Effects of chronic treatment with haloperidol and bromocriptine on the processing of β-endorphin to γ- and α-endorphin in discrete regions of the rat pituitary gland and brain	61
H. Ono, N. Nagano, M. Yamada and H. Fukuda	Effects of a new analog of thyrotropin-releasing hormone, N^{α}-[{(S)-4-oxo-2-azetidinyl}carbonyl]-L-histidyl-L-prolinamide dehydrate (YM-14673) on spinal reflex potentials and flexor reflexes in spinalized rats	69
P. J. Forshaw and D. E. Ray	A novel action of deltamethrin on membrane resistance in mammalian skeletal muscle and non-myelinated nerve fibres	75
Preliminary Note		
A. J. Sansom, Cynthia L. Darlington and P. F. Smith	Intraventricular injection of an *N*-methyl-D-aspartate antagonist disrupts vestibular compensation	83
Corrigendum		I

NUMBER 2

L.-G. Larsson, Lucy Rényi, S. B. Ross, B. Svensson and Kristina Ängeby-Möller	Different effects on the responses of functional pre- and postsynaptic 5-HT_{1A} receptors by repeated treatment of rats with the 5-HT_{1A} receptor agonist 8-OH-DPAT	85
A. Hirose, M. Sasa, A. Akaike and S. Takaori	Inhibition of hippocampal CA_1 neurons by 5-hydroxytryptamine, derived from the dorsal raphe nucleus and the 5-hydroxytryptamine$_{1A}$ agonist SM-3997	93
H. Francès, F. Khidichian and C. Monier	Increase in the isolation-induced social behavioural deficit by agonists at 5-HT_{1A} receptors	103
R. R. Schick, G. J. Harty, T. L. Yaksh and V. L. W. Go	Sites in the brain at which cholecystokinin octapeptide (CCK-8) acts to suppress feeding in rats: a mapping study	109
J. D. Stittsworth Jr and A. L. Mueller	Cholecystokinin octapeptide potentiates the inhibitory response mediated by D_2 dopamine receptors in slices of the ventral tegmental area of the brain in the rat	119
T. Zetterström and M. Fillenz	Local administration of flurazepam has different effects on dopamine release in striatum and nucleus accumbens: a microdialysis study	129

Lynn P. Martin, R. F. Cox and Barbara L. Waszczak	Efficacy and potency comparisons among aporphine enantiomers: effects on dopamine neurons in substantia nigra of rat	135
A. Galli, S. Franchi-Micheli, F. Mori, S. Luzzi and L. Zilletti	Glycine-related amino acids stereoselectively affect *N*-methyl-D-aspartate receptor-mediated contractions of guinea pig ileum: comparison with the inhibition of strychnine-insensitive [^{3}H]glycine binding to rat cortical membranes	145
D. Maysinger, M. Herrera-Marschitz, U. Ungerstedt and A. C. Cuello	Acetylcholine release *in vivo*: effects of chronic treatment with monosialoganglioside GM1	151
A. C. Howlett, T. M. Champion, G. H. Wilken and R. Mechoulam	Stereochemical effects of 11-OH-Δ^8-tetrahydrocannabinol-dimethylheptyl to inhibit adenylate cyclase and bind to the cannabinoid receptor	161
G. B. De Sarro, Y. Masuda, C. Ascioti, M. G. Audino and G. Nistico	Behavioural and ECoG spectrum changes induced by intracerebral infusion of interferons and interleukin 2 in rats are antagonized by naloxone	167
Preliminary Notes		
Y. Itzhak, M. Ruhland and H. Krähling	Binding of umespirone to the σ receptor: evidence for multiple affinity states	181
Vimala H. Sethy and Deborah K. Hyslop	Effect of irreversible loss of muscarinic receptors on (^{3}H)-acetylcholine release from the hippocampus	185
P. L. Mobley	The cholinesterase inhibitor soman increases inositol trisphosphate in rat brain	189

NUMBER 3

D. J. McKenna, D. B. Repke, L. Lo and S. J. Peroutka	Differential interactions of indolealkylamines with 5-hydroxytryptamine receptor subtypes	193
M. Trampus, A. Conti, M. Marzanatti, A. Monopoli and E. Ongini	Effects of the enkephalinase inhibitor SCH 34826 on the sleep–waking cycle and EEG activity in the rat	199
H. H. Suh and L. L.-F. Tseng	Intrathecal administration of thiorphan, bestatin, desipramine and fluoxetine differentially potentiate the antinociceptive effects induced by β-endorphin and morphine, administered intracerebroventricularly	207
R. Maldonado, V. Daugé, J. Feger and B. P. Roques	Chronic blockade of D_2 but not D_1 dopamine receptors facilitates behavioural responses to endogenous enkephalins, protected by kelatorphan, administered in the accumbens in rats	215
T. S. Rao, H. S. Kim, J. Lehmann, L. L. Martin and P. L. Wood	Selective activation of dopaminergic pathways in the mesocortex by compounds that act at the phencyclidine (PCP) binding site: tentative evidence for PCP recognition sites not coupled to *N*-methyl-D-aspartate (NMDA) receptors	225
P. Valeri, L. A. Morrone, G. Pimpinella and L. Romanelli	Some pharmacological characteristics of the guinea pig ileum opioid system activated by cholecystokinin	231
F. Lopez, L. G. Miller, D. J. Greenblatt, S. Chesley, A. Schatzki and R. I. Shader	Chronic administration of benzodiazepines—V. Rapid onset of behavioral and neurochemical alterations after discontinuation of alprazolam	237
P. Kontro and S. S. Oja	Interactions of taurine with $GABA_B$ binding sites in mouse brain	243
G. H. Fromm, T. Shibuya, M. Nakata and C. F. Terrence	Effects of D-baclofen and L-baclofen on the trigeminal nucleus	249
R. W. Derlet and T. E. Albertson	Anticonvulsant modification of cocaine-induced toxicity in the rat	255
A. Mørk, R. Klysner and A. Geisler	Effects of treatment with a lithium–imipramine combination on components of adenylate cyclase in the cerebral cortex of the rat	261
M. Hiramatsu and A. K. Cho	Enantiomeric differences in the effects of 3,4-methylenedioxymethamphetamine on extracellular monoamines and metabolites in the striatum of freely-moving rats: an *in vivo* microdialysis study	269
E. Preston, S. Ma and N. Haas	Ambient temperature modulation of fenfluramine-induced thermogenesis in the rat	277

K. A. Alkadhi, Enyeneama I. Bassey and Yvonne H. Hogan	A comparative study of the actions of histamine H_2 receptor antagonists on transmission in the isolated superior cervical ganglion of the rat	285
Preliminary Notes		
Patricia C. Contreras	D-Serine antagonized phencyclidine- and MK-801-induced stereotyped behavior and ataxia	291
M. J. Kuhar, J. W. Boja and E. J. Cone	Phencyclidine binding to striatal cocaine receptors	295
S. Iyengar, S. Mick, V. Dilworth, J. Michel, T. S. Rao, J. M. Farah and P. L. Wood	Sigma receptors modulate the hypothalamic-pituitary-adrenal (HPA) axis centrally: evidence for a functional interaction with NMDA receptors, *in vivo*	299
T. S. Rao, J. A. Cler, R. P. Compton, M. R. Emmett, S. Mick, E. T. Sun, S. Iyengar and P. L. Wood	Neuropharmacological characterization of 1-aminocyclopropane-1-carboxylate and 1-aminocyclobutane-1-carboxylate, ligands of the *N*-methyl-D-aspartate-associated glycine receptor	305
L. A. Carr and P. P. Rowell	Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity by tobacco smoke	311
M. J. Millan and F. C. Colpaert	Attenuation of opioid induced antinociception by 5-HT_{1A} partial agonists in the rat	315

NUMBER 4

C. D. Chapman, R. A. Gazzara and S. G. Howard	Effects of phencyclidine on extracellular levels of dopamine, dihydroxyphenylacetic acid and homovanillic acid in conscious and anesthetized rats	319
J. M. Barnes, N. M. Barnes, B. Costall and R. J. Naylor	The actions of (−)*N*-*n*-propylnorapomorphine and selective dopamine D_1 and D_2 receptor agonists to modify the release of [^{3}H]dopamine from the rat nucleus accumbens	327
N. Nakata, S. Sakurada, T. Sakurada, S. Kawamura, K. Kisara and K. Suzuki	Spinal antinociception: comparison of a dermorphin tetrapeptide analogue, [D-arginine^2, sarcosine^4]-dermorphin (1-4) and morphine in rats	337
K.-F. Shen and S. M. Crain	Dynorphin prolongs the action potential of mouse sensory ganglion neurons by decreasing a potassium conductance whereas another specific kappa opioid does so by increasing a calcium conductance	343
J. M. Fujimoto and Kathleen S. Arts	Clonidine, administered intracerebroventricularly in mice, produces an anti-analgesic effect which may be mediated spinally by dynorphin A (1-17)	351
A. Yanez, M. B. Sabbe, C. W. Stevens and T. L. Yaksh	Interaction of midazolam and morphine in the spinal cord of the rat	359
G. L. Kovács, Z. Sarnyai, E. Babarczi, G. Szabó and G. Telegdy	The role of oxytocin–dopamine interactions in cocaine-induced locomotor hyperactivity	365
Barbara M. Bayer, Sandra Daussin, Monica Hernandez and Lauren Irvin	Morphine inhibition of lymphocyte activity is mediated by an opioid dependent mechanism	369
C. Ferrarese, I. Appollonio, M. Frigo, M. Perego, C. Pierpaoli, M. Trabucchi and L. Frattola	Characterization of peripheral benzodiazepine receptors in human blood mononuclear cells	375
J.-T. Qiao, P. M. Dougherty, R. C. Wiggins and N. Dafny	Effects of microiontophoretic application of cocaine, alone and with receptor antagonists, upon the neurons of the medial prefrontal cortex, nucleus accumbens and caudate nucleus of rats	379
C. Florio, A. M. Rosati, U. Traversa and R. Vertua	Adenosine receptors in cortical-derived vesicles of the rat: studies on binding sites and accumulation of cyclic AMP	387
S. L. Peterson, J. P. Trzeciakowski, G. D. Frye and H. R. Adams	Potentiation by glycine of anticonvulsant drugs in maximal electroshock seizures in rats	399
A. N. Nicholson and Peta A. Pascoe	Dopaminergic transmission and the sleep–wakefulness continuum in man	411

NUMBER 5

P. Guarneri, A. Berkovich, A. Guidotti and E. Costa	A study of diazepam binding inhibitor (DBI) processing products in human cerebrospinal fluid and in postmortem human brain	419
Caroline H. Brennan, J. Crabbe and J. M. Littleton	Genetic regulation of dihydropyridine-sensitive calcium channels in brain may determine susceptibility to physical dependence on alcohol	429
C. A. Capuano, S. F. Leibowitz and G. A. Barr	The ontogeny of opioid receptors mediating opiate-induced feeding in rats	433
J.-Z. Xiang, P. Adamson, M. J. Brammer and I. C. Campbell	The κ-opiate agonist U50488H decreases the entry of ^{45}Ca into rat cortical synaptosomes by inhibiting N- and not L-type calcium channels	439
G. A. Tejwani and S. H. Hanissian	Modulation of mu, delta and kappa opioid receptors in rat brain by metal ions and histidine	445
B. Costall, A. M. Domeney, R. J. Naylor, J. B. Owera-Atepo, J. A. Rudd and F. D. Tattersall	Fluphenazine, ICS 205-930 and *dl*-fenfluramine differentially antagonise drug-induced emesis in the ferret	453
R. Maureen Murphy and F. P. Zemlan	Selective serotonin$_{1A/1B}$ agonists differentially affect spinal nociceptive reflexes	463
A. Pilc and J. Vetulani	Pretreatment with *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline accelerates the electroshock-induced decrease in density of β-adrenoceptors but not functional downregulation	469
S.-J. Yi and K. M. Johnson	Effects of acute and chronic administration of cocaine on striatal uptake, compartmentalization and release of [^{3}H]dopamine	475
K. Ishihara, H. Katsuki, M. Sugimura, S. Kaneko and M. Satoh	Different drug-susceptibilities of long-term potentiation in three input systems to the CA3 region of the guinea pig hippocampus *in vitro*	487
S. Y. Lin-Shiau, S. H. Liu and W. M. Fu	Neuromuscular actions of sodium selenite on chick biventer cervicis nerve-muscle preparation	493
Preliminary Notes		
T. S. Rao, Julie A. Cler, E. J. Oei, S. Iyengar and P. L. Wood	Increased release of dopamine *in vivo* by BMY-14802: contrasting pattern to clozapine	503
R. J. Bodnar, D. Paul and G. W. Pasternak	Proglumide selectively potentiates supraspinal μ_1 opioid analgesia in mice	507

NUMBER 6

A. J. Sleight, A. Cervenka and S. J. Peroutka	*In vivo* effects of sumatriptan (GR 43175) on extracellular levels of 5-HT in the guinea pig	511
M. G. Cutler	Behavioural effects in gerbils of the 5-HT$_3$ receptor antagonists, BRL 43694 and ICS 205-930, under circumstances of high and low light intensity	515
E. Przegaliński, A. M. Ismaiel, E. Chojnacka-Wójcik, B. Budziszewska, E. Tatarczyńska and E. Błaszczyńska	The behavioural, but not the hypothermic or corticosterone, response to 8-hydroxy-2-(di-*n*-propylamino)-tetralin, is antagonized by NAN-190 in the rat	521
A. Campbell, R. J. Baldessarini, Y. Gao, R. Zong and J. L. Neumeyer	R(−) and S(+) stereoisomers of 11-hydroxy- and 11-methoxy-N-*n*-propylnoraporphine: central dopaminergic behavioral activity in the rat	527
E. Friedman, H.-Y. Wang and P. Butkerait	Decreased striatal release of acetylcholine following withdrawal from long-term treatment with haloperidol: modulation by cholinergic, dopamine-D$_1$ and -D$_2$ mechanisms	537
C. N. May, M. R. Dashwood, C. J. Whitehead and C. J. Mathias	Functional and autoradiographic studies to locate the sites at which clonidine acts to cause hyperglycaemia and inhibition of opiate-induced sympathetic outflow	545

S. M. Sorensen, J. M. Zwolshen and J. M. Kane — The effects of a potential antidepressant, 2,4-dimethyl-5-(3-fluorophenyl)-3H-1,2,4-triazole-3-thione, in an electrophysiological model responsive to desipramine 555

N. A. Shaw — The effects of chloralose on the brainstem auditory evoked potential of the rat 561

M. Muroi, I. Kimura and M. Kimura — Blocking effects of hypaconitine and aconitine on nerve action potentials in phrenic nerve-diaphragm muscles of mice 567

H. Lorković — Acetylcholine-induced currents in denervated mouse soleus muscle: effects of antagonists 573

Judith A. Kiritsy-Roy, S. A. Mousa, N. M. Appel and G. R. Van Loon — Tolerance to nicotine-induced sympathoadrenal stimulation and cross-tolerance to stress: differential central and peripheral mechanisms in rats 579

Elisabeth Hansson, P. Simonsson and C. Alling — Interactions between cyclic AMP and inositol phosphate transduction systems in astrocytes in primary culture 591

Preliminary Notes

D. G. Kirch, T. R. Taylor, G. A. Gerhardt, N. L. Benowitz, C. Stephen and R. J. Wyatt — Effect of chronic caffeine administration on monoamine and monoamine metabolite concentrations in rat brain 599

M. S. Gitler, B. R. Zeeberg, C. John and R. C. Reba — Specific *in vivo* binding of [^{125}I]-iodomelatonin to melatonin receptors in rat brain 603

NUMBER 7

J. M. Fujimoto, K. S. Arts, J. J. Rady and L. F. Tseng — Spinal dynorphin A (1-17): possible mediator of antianalgesic action 609

C. Reavill, B. Walther, I. P. Stolerman and B. Testa — Behavioural and pharmacokinetic studies on nicotine, cytisine and lobeline 619

Ira B. Finn, P. M. Iuvone and S. G. Holtzman — Depletion of catecholamines in the brain of rats differentially affects stimulation of locomotor activity by caffeine, D-amphetamine, and methylphenidate 625

K. Hashimoto and T. Goromaru — Reduction of *in vivo* binding of [^{3}H]paroxetine in mouse brain by 3,4-methylenedioxymethamphetamine 633

A. J. Eshleman and T. F. Murray — Dependence on γ-aminobutyric acid of pyrethroid and 4′-chlorodiazepam modulation of the binding of *t*-[^{35}S]butylbicyclophosphorothionate in piscine brain 641

J. W. Miller and J. A. Ferrendelli — Characterization of GABAergic seizure regulation in the midline thalamus 649

G. Al-Tajir, C. J. Chandler, B. S. Starr and M. S. Starr — Opposite effects of stimulation of D_1 and D_2 dopamine receptors on the expression of motor seizures in mouse and rat 657

R. W. Rockhold, C. G. Acuff and B. R. Clower — Excitotoxic lesions of the paraventricular hypothalamus: metabolic and cardiac effects 663

P. L. Wood, M. R. Emmett, T. S. Rao, S. Mick, Julie Cler, E. Oei and S. Iyengar — *In vivo* antagonism of agonist actions at *N*-methyl-D-aspartate and *N*-methyl-D-aspartate-associated glycine receptors in mouse cerebellum: studies of 1-hydroxy-3-aminopyrrolidone-2 675

A. Nistri, Lucia Sivilotti and Diana M. Welsh — An electrophysiological study of the action of *N*-methyl-D-aspartate on excitatory synaptic transmission in the optic tectum of the frog *in vitro* 681

C. H. Brennan and J. M. Littleton — Second messengers involved in genetic regulation of the number of calcium channels in bovine adrenal chromaffin cells in culture 689

Corrigendum I

NUMBER 8

Bernadette Earley, M. Burke, B. E. Leonard, C. J. Gouret and J. L. Junien — A comparison of the psychopharmacological profiles of phencyclidine, ketamine and (+) SKF 10,047 in the trimethyltin rat model 695

Pamela A. Pierce and S. J. Peroutka	*d*-Lysergic acid diethylamide differentially affects the dual actions of 5-hydroxytryptamine on cortical neurons	705
I. Holopainen and K. E. O. Åkerman	Efflux of ^{45}calcium from cultured primary astrocytes: effects of glutamate receptor agonists and antagonists	713
P. L. Lleu and G. Rebel	Effect of HEPES on the Na^+,Cl^--dependent uptake of taurine and β-alanine by cultured glial cells. Modulation by composition and osmolarity of medium	719
G. B. Watson and T. H. Lanthorn	Pharmacological characteristics of cyclic homologues of glycine at the *N*-methyl-D-aspartate receptor-associated glycine site	727
A. Moser and O. Schuster	The effect of oxiferriscorbone on striatal adenylate cyclase of the rat	731
C. A. Yarosh, J. H. Ashe and A. C. Olito	Differential effects of the muscarinic M_2 antagonists, AF-DX 116 and gallamine, on single neurons of rabbit sympathetic ganglia	735
T. H. Chiu, T.-Y. Chen, C. L. Ho and S. T. Chiang	Electrophysiological effects of dermorphin on locus coeruleus neurons of rat	747
H. Tsushima, M. Mori and T. Matsuda	Effects of fentanyl, injected into the hypothalamic supraoptic and paraventricular nuclei, in a water-loaded and ethanol-anesthetized rat	757
G. Bagetta, M. T. Corasaniti, G. Nisticó and N. G. Bowery	Behavioural and neuropathological effects produced by tetanus toxin injected into the hippocampus of rats	765
G. W. Hebert, A. A. Baumeister and Marianne Nagy	The antinociceptive effect of intranigral injection of morphine in ketamine- and halothane-anesthetized rats	771
Preliminary Notes		
G. C. Ormandy, X. Li and R. S. Jope	Dibenzocycloalkenimine (MK-801) stimulates phosphoinositide hydrolysis in rat cerebral cortical slices	779
S. D. Mendelson and B. B. Gorzalka	Sex differences in the effects of 1-(m-trifluoromethylphenyl) piperazine and 1-(m-chlorophenyl) piperazine on copulatory behavior in the rat	783

NUMBER 9

D. A. Jackson and S. R. White	Receptor subtypes mediating facilitation by serotonin of excitability of spinal motoneurons	787
P. S. Eriksson, Elisabeth Hansson and L. Rönnbäck	Opiate receptors in neuronal primary cultures	799
R. B. Rothman, J. B. Long, V. Bykov, A. E. Jacobson, K. C. Rice and J. W. Holaday	Pretreatment of rats with the irreversible μ-receptor antagonist, β-FNA, fails to prevent naltrexone-induced upregulation of μ-opioid receptors	805
A. A. Reid, M. V. Mattson, B. R. de Costa, A. Thurkauf, A. E. Jacobson, J. A. Monn, K. C. Rice and R. B. Rothman	Specificity of phencyclidine-like drugs and benzomorphan opiates for two high affinity phencyclidine binding sites in guinea pig brain	811
A. Lund, A. Tjølsen and K. Hole	Antinociceptive effect of intrathecally-administered desipramine and zimelidine in rats	819
S. B. Kandasamy and W. A. Hunt	Arachidonic acid and prostaglandins enhance potassium-stimulated calcium influx into rat brain synaptosomes	825
G. Gross and Gertraud Hanft	Does lithium *in vitro* and *ex vivo* alter the release of [^{3}H]noradrenaline from brain tissue and the sensitivity of presynaptic autoreceptors?	831
H. C. Becker and R. F. Anton	Valproate potentiates and picrotoxin antagonizes the anxiolytic action of ethanol in a nonshock conflict task	837
C. Rundfeldt, D. Hönack and W. Löscher	Phenytoin potently increases the threshold for focal seizures in amygdala-kindled rats	845

Sandra W. McLeskey, Carol Fischofer-Hahn, K. Takahashi and W. J. Wojcik	Specificity of methoctramine in blocking muscarinic receptors which inhibit adenylate cyclase in cerebellar granule cells	853
Sandra W. McLeskey and W. J. Wojcik	Identification of muscarinic receptor subtypes present in cerebellar granule cells: prevention of [^{3}H]propylbenzilyl choline mustard binding with specific antagonists	861

NUMBER 10

P. Soares-da-Silva and M. C. Garrett	A kinetic study of the rate of formation of dopamine, 3,4-dihydroxyphenylacetic acid (DOPAC) and homovanillic acid (HVA) in the brain of the rat: implications for the origin of DOPAC	869
M. C. Garrett and P. Soares-da-Silva	Role of type A and B monoamine oxidase on the formation of 3,4-dihydroxyphenylacetic acid (DOPAC) in tissues from the brain of the rat	875
D. Hovevey-Sion, G. Eisenhofer, I. J. Kopin, K. L. Kirk, P. C. Chang, K. Szemeredi and D. S. Goldstein	Metabolic fate of injected radiolabelled dopamine and 2-fluorodopamine in rats	881
Maria Trampus and E. Ongini	The D_1 dopamine receptor antagonist SCH 23390 enhances REM sleep in the rat	889
S. M. Evans, D. Girdlestone, A. Lopez, B. Olivier and M. H. T. Roberts	The actions of the novel anti-aggressive drug eltoprazine on central neurones in the anaesthetised rat	895
M. M. Schweri	*N*-Ethylmaleimide irreversibly inhibits the binding of [^{3}H]threo-(±)-methylphenidate to the stimulant recognition site	901
K. D. Parfitt, B. J. Hoffer and P. C. Bickford-Wimer	Potentiation of gamma-aminobutyric acid-mediated inhibition by isoproterenol in the cerebellar cortex: receptor specificity	909
A. L. Horne, G. N. Woodruff and J. A. Kemp	Synaptic potentials mediated by excitatory amino acid receptors in the nucleus accumbens of the rat, *in vitro*	917
Michelle K. Bazil and F. J. Gordon	Blockade of parabrachial pressor responses by spinal administration of an *N*-methyl-D-aspartic acid receptor antagonist	923
P. C. Pearce, C. J. Doré, M. J. Halsey, N. P. Luff, C. J. Maclean and B. S. Meldrum	The effects of MK801 on the high pressure neurological syndrome in the baboon (*Papio anubis*)	931
S. J. Czuczwar, U. Malek and Z. Kleinrok	Influence of calcium channel inhibitors upon the anticonvulsant efficacy of common antiepileptics against pentylenetetrazol-induced convulsions in mice	943
P. J. Elliott, D. M. Walsh, S. P. Close, G. A. Higgins and A. G. Hayes	Behavioural effects of serotonin agonists and antagonists in the rat and marmoset	949
Preliminary Notes		
Angela W. Vaughn, A. A. Baumeister, M. F. Hawkins and Tanya G. Anticich	Intranigral microinjection of neurotensin suppresses feeding in food deprived rats	957
S. Laganiere, M. Marinko, Janice Corey, E. Wulfert and I. Hanin	Sector-dependent neurotoxicity of ethylcholine aziridinium (AF64A) in the rat hippocampus	961
R. J. Ross, W. A. Ball, D. R. Levitt, P. J. Gresch and A. R. Morrison	Effects of monoamine reuptake blockade on ponto-geniculo-occipital wave activity	965
W. J. Wojcik, R. A. Travagli, E. Costa and M. Bertolino	Baclofen inhibits with high affinity an L-type-like voltage-dependent calcium channel in cerebellar granule cell cultures	969

NUMBER 11

P. M. Dougherty and N. Dafny	Microiontophoretic application of muramyl-dipeptide upon single cortical, hippocampal and hypothalamic neurons in rats	973
B. Nickel, G. Schulze and I. Szelenyi	Effect of enantiomers of deprenyl (selegiline) and amphetamine on physical abuse liability and cortical electrical activity in rats	983
P. Riekkinen Jr, J. Sirviö, P. Jäkälä, R. Lammintausta and P. Riekkinen	Effect of alpha$_2$ antagonists and an agonist on EEG slowing induced by scopolamine and lesion of the nucleus basalis	993
V. K. Gribkoff, Lisa A. Bauman and C. P. VanderMaelen	A 1-heteroaryl-4-piperidinyl-methyl pyrrolidinone, BMY 21502, delays the decay of hippocampal synaptic potentiation *in vitro*	1001
P. H. Hutson and N. Suman-Chauhan	Activation of postsynaptic striatal dopamine receptors, monitored by efflux of cAMP *in vivo*	1011
S. Izenwasser, L. L. Werling, J. G. Rosenberger and B. M. Cox	Characterization of binding of [^{3}H]GBR 12935 (1-[2-(diphenylmethoxy)-ethyl]-4-(3-phenylpropyl)piperazine) to membranes and to solubilized membrane extracts from terminal field regions of mesolimbic, mesocortical and nigrostriatal dopamine pathways	1017
V. Barrios, M. N. Rodríguez-Sánchez and E. Arilla	The effect of chronic administration of nicotine and withdrawal on somatostatin concentration and binding in brain of rat	1025
T. S. Rao, J. A. Cler, S. J. Mick, M. R. Emmett, S. Iyengar and P. L. Wood	6,7-Dinitroquinoxaline-2,3-dione and 6-nitro,7-cyanoquinoxaline-2,3-dione antagonize responses mediated by *N*-methyl-D-aspartate and NMDA-associated glycine recognition sites *in vivo*: measurements of cerebellar cyclic-GMP	1031
Janine M. Barnes, N. M. Barnes, S. Champaneria, Brenda Costall and R. J. Naylor	Characterisation and autoradiographic localisation of 5-HT$_3$ receptor recognition sites identified with [^{3}H]-(S)-zacopride in the forebrain of the rat	1037
Audrey A. Reid, C.-H. Kim, A. Thurkauf, J. A. Monn, B. de Costa, A. E. Jacobson, K. C. Rice, W. D. Bowen and R. B. Rothman	Wash-resistant inhibition of phencyclidine- and haloperidol-sensitive sigma receptor sites in guinea pig brain by putative affinity ligands: determination of selectivity	1047
D. Papir-Kricheli, C. Gilon, M. Chorev, Z. Selinger and M. Devor	Neurochemical mediators of the behavioural effects of receptor-selective substance P agonists administered intrathecally in the rat	1055
Gabriel Schreiber, Sofia Avissar, Charanjit S. Aulakh and D. L. Murphy	Lithium-selective alteration of the function of brain versus cardiac G_s protein	1067
Preliminary Notes		
G. Grecksch, A. Becker and H. Matthies	Threshold to elicit seizures by picrotoxin is lowered in pentylenetetrazol-kindled mice	1073
T. S. Rao, Julie A. Cler, M. R. Emmett, S. J. Mick, S. Iyengar and P. L. Wood	Glycine, glycinamide and D-serine act as positive modulators of signal transduction at the *N*-methyl-D-aspartate (NMDA) receptor *in vivo*: differential effects on mouse cerebellar cyclic guanosine monophosphate levels	1075
C. S. Bailey, S. G. Howard and M. S. Levine	Intracellular analysis of effects of phencyclidine on rat neostriatal neurons recorded *in vitro*	1081
L. G. Stark and T. E. Albertson	The effects of LY-201116 [4-amino-*N*-(2,6-dimethylphenyl)benzamide] on the amygdala-kindled rat	1085
A. Siniscalchi, L. Beani and C. Bianchi	Influence of chronic chlorimipramine treatment on the serotonergic modulation of acetylcholine release from guinea pig caudate nucleus slices	1091
W.-S. Shi and B. S. Bunney	Neurotensin attenuates dopamine D2 agonist quinpirole-induced inhibition of midbrain dopamine neurons	1095
R. E. Poland	Diminished corticotropin and enhanced prolactin responses to 8-hydroxy-2(di-*n*-propylamino)tetralin in methylenedioxymethamphetamine pretreated rats	1099

NUMBER 12

H. Manev, M. Bertolino and G. DeErausquin	Amiloride blocks glutamate-operated cationic channels and protects neurons in culture from glutamate-induced death	1103
J. Parada-Turska and W. A. Turski	Excitatory amino acid antagonists and memory: effect of drugs acting at *N*-methyl-D-aspartate receptors in learning and memory tasks	1111
T. Hirayama, H. Ono and H. Fukuda	Effects of excitatory and inhibitory amino acid agonists and antagonists on ventral horn cells in slices of spinal cord isolated from adult rats	1117
Q. Wang, L.-M. Mao, Y.-S. Shi and J.-S. Han	Lumbar intrathecal administration of naloxone antagonizes analgesia produced by electrical stimulation of the hypothalamic arcuate nucleus in pentobarbital-anesthetized rats	1123
C. R. Lupica and T. V. Dunwiddie	Release of endogenous adenosine does not mediate electrophysiological responses to morphine in the hippocampus *in vitro*	1131
D. J. Heal, A. T. J. Frankland and W. R. Buckett	A new and highly sensitive method for measuring 3-methoxytyramine using HPLC with electrochemical detection. Studies with drugs which alter dopamine metabolism in the brain	1141
P. Soares-da-Silva and M. C. Garrett	Overflow of endogenous dopamine and 3,4-dihydroxyphenylacetic acid from tissues of the rat brain, elicited by electrical stimulation, depolarization by potassium and activation of carrier-mediated release	1151
A. Vaccari, E. Stefanini, G. de Montis and Z. L. Rossetti	Dopaminergic dysfunction in neonatal hypothyroidism: differential effects of GM_1 ganglioside	1161
Elizabeth A. Pehek, M. D. Schechter and B. K. Yamamoto	Effects of cathinone and amphetamine on the neurochemistry of dopamine *in vivo*	1171
M. P. Brazell, S. N. Mitchell, M. H. Joseph and J. A. Gray	Acute administration of nicotine increases the *in vivo* extracellular levels of dopamine, 3,4-dihydroxyphenylacetic acid and ascorbic acid preferentially in the nucleus accumbens of the rat: comparison with caudate-putamen	1177
Z. E. G. Oliveira and M. V. Gomez	The effect of tityustoxin in the turnover of inositol phosphates in crude synaptosomes	1187
T. S. Rao, J. A. Cler, S. J. Mick, V. M. Dilworth, P. C. Contreras, S. Iyengar and P. L. Wood	Neurochemical characterization of dopaminergic effects of opipramol, a potent sigma receptor ligand, *in vivo*	1191
T. S. Rao, J. A. Cler, S. J. Mick, D. M. Ragan, T. H. Lanthorn, P. C. Contreras, S. Iyengar and P. L. Wood	Opipramol, a potent sigma ligand, is an anti-ischemic agent: neurochemical evidence for an interaction with the *N*-methyl-D-aspartate receptor complex *in vivo* by cerebellar cGMP measurements	1199
Announcement		I